

## Appendix B: Master Transportation Plan Summary Table

R=Required (Minimum Condition)    ●=As Approved by Public Works Parks & Recreation Department    -=Not Recommended

△=Refer to Master Bicycle & Trails Plan    \*=Refer to RTC Transit Guide & System Map

		Compact Complete Communities	Suburban High Density High Intensity	Suburban Low Density Low-Medium Intensity	Residential Low-Medium Density Low Intensity	Residential Low Density Low Intensity	
Minor Collector	Roadway	Expected ADT	≤ 10k	≤ 10k	≤ 10k	≤ 10k	
		<b>Minimum Width</b>	92 ft.	84 ft.	82 ft.	82 ft.	76 ft.
		<b>Dedicated Width</b> (back-of-curb to back-of-curb)	58 ft.	50 ft.	50 ft.	50 ft.	50 ft.
		Travel Lanes	2	2	2	2	2
		Lane Width	10 ft.	11 ft.	11 ft.	11 ft.	11 ft.
		Curb & Pan	2 ft.	2 ft.	2 ft.	2 ft.	2 ft.
		On-Street Parking	6 ft.	6 ft.	6 ft.	6 ft.	6 ft.
		Dedicated Transit Facilities	*	*	*	*	*
	Bicycle	<b>Minimum Width</b>	≥ 6 ft.	≥ 6 ft.	≥ 6 ft.	≥ 6 ft.	≥ 6 ft.
		Buffered Bike Lane	●	●	●	●	●
		Painted Bike Lane	R	R	R	R	R
		Marked Shared Lane	●	-	-	●	●
		Detached Multi-Use Path	△	△	△	△	△
	Pedestrian & Amenity	<b>Minimum Width</b>	≥ 17 ft.	≥ 17 ft.	≥ 16 ft.	≥ 16 ft.	≥ 16 ft.
		Walkway Width	≥ 8 ft.	≥ 8 ft.	≥ 6 ft.	≥ 6 ft.	≥ 6 ft.
		Amenity/Planting Width	≥ 9 ft.	≥ 9 ft.	≥ 10 ft.	≥ 10 ft.	≥ 10 ft.
	Center	<b>Minimum Width</b>	10 ft.	0 ft.	0 ft.	0 ft.	0 ft.
		Raised Median	●	●	●	●	●
		Painted Median	●	●	●	●	●

## Appendix B: Master Transportation Plan Summary Table

R=Required (Minimum Condition)    ●=As Approved by Public Works Parks & Recreation Department    -=Not Recommended

△=Refer to Master Bicycle & Trails Plan    \*=Refer to RTC Transit Guide & System Map

		Compact Complete Communities	Suburban High Density High Intensity	Suburban Low Density Low-Medium Intensity	Residential Low-Medium Density Low Intensity	Residential Low Density Low Intensity	
Major Collector	Roadway	Expected ADT	10k – 25 k	10k – 25 k	10k – 25 k	10k – 25 k	
		<b>Minimum Width</b>	130 ft.	137 ft.	133 ft.	126 ft.	126 ft.
		<b>Dedicated Width</b> (back-of-curb to back-of-curb)	84 ft.	91 ft.	91 ft.	84 ft.	84 ft.
		Travel Lanes	4	4	4	4	4
		Lane Width	11 ft.	11 ft.	11 ft.	11 ft.	11 ft.
		Curb & Pan	2 ft.	2 ft.	2 ft.	2 ft.	2 ft.
		On-Street Parking	6 ft.	7.5 ft.	7.5 ft.	6 ft.	6 ft.
		Dedicated Transit Facilities	*	*	*	*	*
	Bicycle	<b>Minimum Width</b>	≥ 6 ft.	≥ 8 ft.	≥ 8 ft.	≥ 6 ft.	≥ 6 ft.
		Buffered Bike Lane	●	R	R	●	●
		Painted Bike Lane	R	-	●	R	R
		Marked Shared Lane	-	-	-	-	-
		Detached Multi-Use Path	△	△	△	△	△
	Pedestrian & Amenity	<b>Minimum Width</b>	≥ 23 ft.	≥ 23 ft.	≥ 21 ft.	≥ 21 ft.	≥ 21 ft.
		Walkway Width	≥ 8 ft.	≥ 8 ft.	≥ 6 ft.	≥ 6 ft.	≥ 6 ft.
		Amenity/Planting Width	≥ 15 ft.	≥ 15 ft.	≥ 15 ft.	≥ 15 ft.	≥ 15 ft.
	Center	<b>Minimum Width</b>	12 ft.	12 ft.	12 ft.	12 ft.	12 ft.
		Raised Median	R	R	R	R	R
		Painted Median	●	●	●	●	●

## Appendix B: Master Transportation Plan Summary Table

R=Required (Minimum Condition)    ●=As Approved by Public Works Parks & Recreation Department    -=Not Recommended

△=Refer to Master Bicycle & Trails Plan    \*=Refer to RTC Transit Guide & System Map

		Compact Complete Communities	Suburban High Density High Intensity	Suburban Low Density Low-Medium Intensity	Residential Low-Medium Density Low Intensity	Residential Low Density Low Intensity
Minor Arterial	Roadway	Expected ADT	25k – 40 k		25k – 40k	
		<b>Minimum Width</b>	156 ft.		155 ft.	
		<b>Dedicated Width</b> (back-of-curb to back-of-curb)	100 ft.		95 ft.	
		Travel Lanes	6		6	
		Lane Width	11 ft.		10.5 ft.	
		Curb & Pan	2 ft.		2 ft.	
		On-Street Parking	-		-	
		Dedicated Transit Facilities	*		*	
	Bicycle	<b>Minimum Width</b>	≥ 8 ft.		≥ 8 ft.	
		Buffered Bike Lane	R		R	
		Painted Bike Lane	-		-	
		Marked Shared Lane	-		-	
		Detached Multi-Use Path	△		△	
	Pedestrian & Amenity	<b>Minimum Width</b>	≥ 28 ft.		≥ 30 ft.	
		Walkway Width	≥ 8 ft.		≥ 10 ft.	
		Amenity/Planting Width	≥ 20 ft.		≥ 20 ft.	
	Center	<b>Minimum Width</b>	12 ft.		12 ft.	
		Raised Median	R		R	
		Painted Median	●		●	

## Appendix B: Master Transportation Plan Summary Table

R=Required (Minimum Condition)    ●=As Approved by Public Works Parks & Recreation Department    -=Not Recommended

△=Refer to Master Bicycle & Trails Plan    \*=Refer to RTC Transit Guide & System Map

		Compact Complete Communities	Suburban High Density High Intensity	Suburban Low Density Low-Medium Intensity	Residential Low-Medium Density Low Intensity	Residential Low Density Low Intensity
Major Arterial	Roadway	Expected ADT	≥ 40 ft.		≥ 40 ft.	
		<b>Minimum Width</b>	154 ft.		162 ft.	
		<b>Dedicated Width</b> (back-of-curb to back-of-curb)	122 ft.		122 ft.	
		Travel Lanes	8		8	
		Lane Width	11 ft.		11 ft.	
		Curb & Pan	2 ft.		2 ft.	
		On-Street Parking	-		-	
		Dedicated Transit Facilities	*		*	
	Bicycle	<b>Minimum Width</b>	≥ 8 ft.		≥ 8 ft.	
		Buffered Bike Lane	R		R	
		Painted Bike Lane	-		-	
		Marked Shared Lane	-		-	
		Detached Multi-Use Path	△		△	
	Pedestrian & Amenity	<b>Minimum Width</b>	≥ 16 ft.		≥ 20 ft.	
		Walkway Width	≥ 8 ft.		≥ 10 ft.	
		Amenity/Planting Width	≥ 8 ft.		≥ 10 ft.	
	Center	<b>Minimum Width</b>	14 ft.		14 ft.	
		Raised Median	R		R	
		Painted Median	●		●	