CITY OF HENDERSON
DEPARTMENT OF BUILDING AND FIRE SAFETY

POLICY NUMBER: **XX**
PROCEDURE NUMBER: **XX**

SUBJECT: Swimming Pool Barriers (Pool Wall)

EFFECTIVE DATE:	XX	**CODE AND YEAR:**	Pool Code 2003
REVISION DATE:	XX	**SECTION REFERENCE:**	Section 700 (A) (B)

AFFECTED DIVISIONS: Building Plans Check and Building Inspection

SCOPE AND OBJECTIVE:
When can the pool wall become part of a pool enclosure? How is it determined if the barrier is in compliance?

POLICY:
The pool wall may be a portion of the pool access barrier if it complies with all the requirements of Section 700 of the Pool Code. The height of the barrier shall be measured per the drawing below.



If dimension A is less than two feet, the five foot high barrier shall be measured as dimension B.

If dimension A is two feet or more, the five foot high barrier may be measured as dimension C.

If dimension D is 18-inches or greater, a separate pool barrier will be required to provide protection for the trough.

Note that the drawing is depicting a disappearing edge pool; however, the concept is the same for other pools constructed in a similar manner.

ATTACHMENT(S): N/A

APPROVED:

Division Manager's Signature & Job Title

Date