


CITY OF HENDERSON
 240 Water Street
 P.O. Box 95050
 Henderson, NV 89009
 702-267-3610

BUILDING & FIRE SAFETY

702-267-3650
 Fax 702-267-3603



- ① - 1-HR FIRE RESISTANCE-RATED LISTED ASSEMBLY WALL ASSEMBLY SHALL EXTEND FROM TOP OF FOUNDATION OR FLOOR/CEILING ASSEMBLY BELOW TO THE UNDER-SIDE OF THE FLOOR OR ROOF ABOVE. MAY BE BEARING OR NON-LOAD BEARING WALL.
- ② - TRUSSES, JOISTS, RAFTERS, BEAMS, GIRDERS, ETC.
- ③ - FIRE-RESISTANCE RATED FLOOR/CEILING ASSEMBLY
- ④ - FIRE-RESISTANCE RATED ROOF/CEILING ASSEMBLY
- ⑤ - CONCEALED SPACE

NOTE: BLOCKING, NAILERS, ETC. NOT SHOWN.

DRAWING NAME:

DWELLING UNIT SEPARATION WALL AT FIRE-RATED FLOOR/CEILING, ROOF/CEILING ASSEMBLY

DRAWING NO.:

BFS-12

DATE:

AUGUST 2007