

Errata 2018 UMC Chapter 10 Boilers and Pressure Vessels
--

Section 1001.1

Code/Standard: 2018 Uniform Mechanical Code

Section/Table/Figure Number: 202

SNBO Approved: June 13, 2019

Correction:

1001.1 Applicability. For boilers and water heaters less than 120 gallon capacity, or a BTU input rating less than 200,000, or less than 160 pounds per square inch of pressure, see Chapter 5 of the Uniform Plumbing Code. For all other units, contact the Mechanical Section of the [Nevada Division of Occupational Safety and Health, part of the Office of Business and Industrial Relations State of Nevada Division of Industrial Relations Mechanic Compliance Section](#).

Exceptions (1) through (8) remain unchanged.

Correlation Notes: None

Errata 2018 ISPSC Chapter 3

Section 324.2

Code/Standard: 2018 International Swimming Pool and Spa Code

Section/Table/Figure Number: 324.2

SNBO Approved: June 13, 2019

Correction:

324.2 Pool or spa location. Any pool or spa shall not be placed closer than 60 inches to any [window to a](#) building or structure and shall not encroach within a public utility easements.

Exception: An exception may be permitted when substantiation is provided by a Nevada Licensed Structural or Civil Engineer that no damage will occur to buildings, structures or adjacent properties and that no unsafe structural conditions will exist.

Correlation Notes: None